



BOSCH

CORDLESS MEANS BOSCH

Catalogue 2023





Bosch GO 2.0 Professional

Minimum Effort, Maximum Efficiency.

Benefits

- Easy to control- Tool stops immediately after deactivation via electronic brake
- Dual-activation mode- Simply push tool or press button to begin
- Mechanical clutch with 5 torque settings and maximum performance mode

Applications:

- Screwdriving

Industry:

- TV Repair
- Laptop / Desktop Repair
- Mobile Repair
- Electrician
- Furniture Installer

Scope of supply:

1 USB cable,
PH1 & PH2 screw bit



*MRP: ₹5,425



SCREWDRIVER

Technical data	Bosch GO 2.0
HSN code	84672900
Part no.	06019H21L1
Battery voltage	3.6 V
Torque, max. (hard/soft)	5 / 2.5Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart stop	Yes
Tool holder	1/4" Inter HEX

*MRP is subject to change. Please check the box for exact MRP.



Bosch GO 2.0 Kit Professional

Minimum Effort, Maximum Efficiency.

Benefits

- Easy to control- Tool stops immediately after deactivation via electronic brake
- Dual-activation mode- Simply push tool or press button to begin
- Mechanical clutch with 5 torque settings and maximum performance mode

Applications:

- Screwdriving

Industry:

- TV Repair
- Laptop / Desktop Repair
- Mobile Repair
- Electrician
- Furniture Installer

Scope of supply:

Carry case, Micro USB cable, 33-piece screwdriver bit set,



*MRP: ₹5,875



SCREWDRIVER

Technical data	Bosch GO 2.0 Kit
HSN code	84672900
Part no.	06019H2181
Battery voltage	3.6 V
Torque, max. (hard/soft)	5 / 2.5 Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart stop	Yes
Tool holder	1/4" Inter HEX
Weight excl. battery	0.31 kg

*MRP is subject to change. Please check the box for exact MRP.



GSR 120-Li (Single Battery) Professional Bosch Quality, High Power, Affordable Price!

Benefits

- Affordability-Power and durability within reach for screwdriving and drilling
- High productivity-2-speed gearbox enables high productivity and excellent torque
- Durability-Electronic Cell Protection (ECP) for longer battery life and more durability

Applications:

- Wood Drilling
- Sheet Metal Drilling
- Screw Driving

Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufacturers
- HSRP Installers

Scope of supply:

1 x 12V 2.0 Ah Li-ion battery,
1 Charger , Carry case



*MRP: ₹7,525



DRILL DRIVER

Technical data	GSR 120-Li
HSN code	84672100
Part no.	06019G80F1
Battery voltage	12 V
No-load speed	0-400 / 0-1,500 rpm
Torque, max. (hard/soft)	30 / 14 Nm
Max. screw diameter	7 mm
Chuck size	10 mm
Drilling in wood/metal	20 /10 mm
Weight incl. battery	0.97 kg

*MRP is subject to change. Please check the box for exact MRP.



GSR 120-Li Kit Professional

Bosch Quality, High Power, Affordable Price!

Benefits

- Affordability-Power and durability within reach for screwdriving and drilling
- High productivity-2-speed gearbox enables high productivity and excellent torque
- Durability-Electronic Cell Protection (ECP) for longer battery life and more durability

Applications:

- Wood Drilling
- Sheet Metal Drilling
- Screw Driving

Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufacturers
- HSRP Installers

Scope of supply:

2 x 12V 2.0 Ah Li-ion batteries, 1 Charger, Carry case, Accessory set, 6 Metal drill bit, 4 Wood drill bit, 10 Screw driver bit and 1 Screw driver bit holder



*MRP: ₹12,025



BeConnected



DRILL DRIVER

Technical data	GSR 120 Li Kit
HSN code	84672100
Part no.	06019G80FO
Battery voltage	12 V
No-load speed (1 st /2 nd)	0-400 / 0-1,500 rpm
Torque (hard/soft)	30 / 14 Nm
Max. screw diameter	7 mm
Max. drilling (wood/steel)	20 / 10 mm
Chuck size	10 mm

*MRP is subject to change. Please check the box for exact MRP.



GSR 12V-30 (Solo) (Brushless) Professional

Impressive features, powerful results

Benefits

- High-end features within reach when screwdriving and drilling
- Brushless motor for longer tool life
- High torque and rapid drilling speeds for quick and powerful results

Applications:

- Wood drilling
- Sheet Metal Drilling
- Screw Driving

Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

Scope of supply:

Cardboard Box,
*Battery and charger not included

*MRP: ₹10,475



DRILL DRIVER

Technical data	GSR 12V-30 (Solo)
HSN code	84672100
Part no.	06019G9082
Battery voltage	12 V
No-load speed	0 - 420 / 0 - 1,600 rpm
Torque, max. (hard/soft)	30 / 18 Nm
Max. screw diameter	8 mm
Max. drilling (wood/steel)	20 / 10 mm

*MRP is subject to change. Please check the box for exact MRP.



GSR 12V-35 HX (Solo) (Brushless) Professional

The ideal combination of compactness, productivity and performance

Benefits

- Highly compact cordless screwdriver in the 12V class enables easy access to tight and narrow spaces
- With up to 1,750 rpm, the GSR 12V-35 HX is the fastest screwdriver in the 12V category
- Lockable 1/4" bit interface for easy bit exchange

Applications:

- Screwdriving
- Drilling in wood and Metal with hex shank drill bits only

Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

Scope of supply:

Cardboard Box,
*Battery and charger not included



*MRP: ₹11,925



DRILL DRIVER

Technical data	GSR 12V-35 HX (Solo)
HSN code	84672100
Part no.	06019J9180
Battery voltage	12 V
No-load speed (1 st /2 nd)	0 - 460 / 0 - 1,750 rpm
Torque (soft/hard)	20/35 / Nm
Max. screw diameter	8 mm
Max. drilling (wood/steel)	32 / 10 mm
Chuck capacity, min./max.	0.8 / 10 mm
Weight excl. battery	0.57 kg

*MRP is subject to change. Please check the box for exact MRP.



GSR 12V-15 FC Professional

Compact and flexible for any job in the 12 Volt class

Benefits

- Extremely short body design of 132 mm for drilling, fixing and screw driving in tight spaces
- Bosch FlexiClick interface with integrated magnetic bit holder enables attachment of a bit holder, a chuck adapter, an angle adapter and an offset angle adapter
- Angle and offset angle adapters can be adjusted and locked in 16 different positions with 360-degree mobility while on the drill
- “One-Click” interface ensures a tight fix to the machine at a glance

Applications:

- Wood Drilling
- Sheet Metal Drilling
- Screw Driving

Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

Scope of supply:

Drill chuck adapter GFA 12-B;
Off-set angle adapter GFA 12-E;
Angle adapter GFA 12-W;
Hex adapter; 1 Charger;
2x2 Ah Li-ion batteries; Carry case



*Product available till stocks last

*MRP: ₹27,025



BeConnected



DRILL DRIVER

Technical data	GSR 12V-15 FC
HSN code	84672100
Part no.	06019F60F0
Battery voltage	12 V
No-load speed (1st/2nd)	0 - 400 / 0 - 1,300 rpm
Torque (hard/soft)	30 / 15 Nm
Max. screw diameter	7 mm
Max. drilling (wood/steel)	19 / 10 mm
Chuck size	10 mm

*MRP is subject to change. Please check the box for exact MRP.



GSR 180-Li Professional

More power. More Robust.

Benefits

- Bosch Quality at affordable price
- Designed with Robust Housing and Battery Cell Protection
- Motor has changeable carbon brushes for easy maintenance and serviceability
- Extends the lifetime of the motor
- Protects the Tool and Battery
- A blinking LED lets you know if the tool has been cut off to protect itself due to Electronic Cell Protection or current overload

Applications:

- Wood Drilling
- Sheet Metal Drilling
- Screw Driving

Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

Scope of supply:

2 x 2.0 Ah Li-ion batteries;
1 Charger; Carry case

*MRP: ₹18,650



BeConnected



*Product available till stocks last

DRILL DRIVER

Technical data	GSR 180 Li
HSN code	84672100
Part no.	06019F81F0
Battery voltage	18 V
No-load speed (1 st /2 nd)	0 - 450 / 0 - 1,700 rpm
Torque (hard/soft)	54 / 21 Nm
Max. screw diameter	10 mm
Max. drilling (wood/steel)	35 / 10 mm
Chuck size	13 mm

*MRP is subject to change. Please check the box for exact MRP.



New! GSR 185-Li (Brushless) Professional

More work with no limits

Benefits

- Next-level compactness with strong performance and brushless motor
- Easy handling and operation due to compact design
- High-efficiency brushless motor extends work hours and tool life
- Maximum performance and efficiency with working speed of up to 1,900 rpm
- Optimal for screwdriving in wood or drilling in wood and metal in narrow spaces

Applications:

- Wood Drilling
- Sheet Metal Drilling
- Screw Driving

Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

Scope of supply:

2 x 2.0 Ah Li-ion batteries;
1 Charger; Carry case



*MRP: ₹16,875



DRILL DRIVER

Technical data	GSR 185 Li
HSN code	84672100
Part no.	6019K30F0
Battery voltage	18V
Head length	162 mm
No-load speed	0-500 / 1,900 rpm
Max. torque (hard / soft)	50 / 21Nm
Chuck Size	13 mm
Max. drilling (wood / metal)	35 / 10mm
Weight (w/2.0Ah)	1.3 kg
Chuck Material	Metal

*MRP is subject to change. Please check the box for exact MRP.



GSR 18V-50 (Solo) Professional

Tough brushless motor for heavy-duty jobs

Benefits

- Robust metal chuck and compact ergonomic design ideal for heavy-duty jobs
- Intelligent brushless motor for efficiency and long lifetime
- Flexible Power System works with Bosch batteries and chargers of the same voltage

Applications:

- Wood Drilling
- Sheet Metal Drilling
- Screw Driving

Industry:

- Construction
- Installers & Assembly Workers
- Furniture Workers
- Electricians
- Interior Decorators
- Joiners

Scope of supply:

Cardboard box;

*Battery and charger not included



*MRP: ₹14,300



DRILL DRIVER

Technical data	GSR 18V-50 (Solo)
HSN code	84672100
Part no.	06019H5082
Battery Voltage	18 V
No-load speed (1 st gear / 2 nd gear)	0 - 460 / 0 - 1,800 rpm
Torque (soft/hard/max.)	28/50/50 Nm
Chuck size	13 mm
Max. drilling (alum./wood/steel)	13 / 35 / 13 mm
Weight excl. battery	1 kg
Chuck Material	Metal

*MRP is subject to change. Please check the box for exact MRP.



GSR 18V-50 Kit Professional

Tough brushless motor for heavy-duty jobs

Benefits

- Robust metal chuck and compact ergonomic design ideal for heavy-duty jobs
- Intelligent brushless motor for efficiency and long lifetime
- Flexible Power System works with Bosch batteries and chargers of the same voltage

Applications:

- Wood Drilling
- Sheet Metal Drilling
- Screw Driving

Industry:

- Construction
- Installers & Assembly workers
- Furniture workers
- Electricians
- Interior Decorators
- Joiners

Scope of supply:

Carry case; 1 Charger;
2 x 2.0 Ah Li-ion batteries



*MRP: ₹27,025



DRILL DRIVER

Technical data	GSR 18V-50 Kit
HSN code	84672100
Part no.	06019H50F0
Battery voltage	18 V
No-load speed	0 - 460 / 0 - 1,800 rpm
Torque, max. (hard/soft)	50 / 28 Nm
Max. drilling (wood/steel)	35 / 13 mm
Max. screw diameter	10 mm
Chuck Material	Metal

*MRP is subject to change. Please check the box for exact MRP.



GSB 120-Li Kit Professional

Use your drill driver more flexibly – drive screws and drill in wood, steel and masonry

Benefits

- Flexibility in applications due to impact mechanism with single-sleeve keyless chuck for easy accessory changes and long runtime per battery charge for continuous operation
- Bosch Electronic Cell Protection (ECP) protects the battery against overload, overheating and deep discharge

Applications:

- Masonry Drilling
- Wood Drilling
- Sheet Metal Drilling
- Screw Driving

Industry:

- Electrician
- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

Scope of supply:

Carry case; 1 Charger;
2 x 2.0 Ah Li-Ion batteries;
Accessory set: 4 Wood drill bits;
4 Metal drill bits; 4 Masonry
drill bits; 10 Screw driver bits;
1 Screw bit holder



*MRP: ₹13,075



IMPACT DRILL DRIVER

Technical data	GSB 120-Li Kit
HSN code	84672100
Part no.	06019G81F2
Battery voltage	12 V
No-load speed (1 st /2 nd)	0 - 400 / 0 - 1,500 rpm
Torque (hard/soft)	30 / 14 Nm
Impact rate	0 - 18,750 bpm
Max. drilling (wood/steel/masonry)	20 / 10 / 8 mm
Weight with Battery	1.1 kg

*MRP is subject to change. Please check the box for exact MRP.



GSB 180-Li Professional

More Power. More Robust.

Benefits

- Bosch Quality at affordable price
- Designed with Robust Housing and Battery Cell Protection
- Motor has changeable carbon brushes for easy maintenance and serviceability
- Extends the lifetime of the motor
- Protects the Tool and Battery
- A blinking LED lets you know if the tool has been cut off to protect itself due to Electronic Cell Protection or current overload

Applications:

- Wood Drilling
- Sheet Metal Drilling
- Screw Driving
- Masonry Drilling

Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

Scope of supply:

2 x 2.0 Ah Li-ion batteries,
1 Charger, Carry case

*MRP: ₹19,650



IMPACT DRILL DRIVER

Technical data	GSB 180-Li
HSN code	84672100
Part no.	06019F83F0
Battery voltage	18 V
No-load speed (1 st /2 nd)	0 - 450 / 0 - 1,700 rpm
Torque (Hard/Soft)	54 / 21 Nm
Max. screw diameter	10 mm
Max. drilling (wood/steel/masonry)	35 / 10 / 8 mm
Chuck size	13 mm

*MRP is subject to change. Please check the box for exact MRP.



New! GSB 185-Li Kit (Brushless) Professional

More work with no limits

Benefits

- Next-level compactness with powerful performance and brushless motor
- Easy handling and operation due to compact design
- High-efficiency brushless motor enables longer work hours per charge and tool life
- Increased efficiency thanks to maximum working speed of up to 1,900 rpm
- Ideal in narrow spaces for screwdriving in wood and drilling in wood, metal and masonry

Applications:

- Drilling in Wood
- Drilling in Masonry
- Drilling in Metal
- Screw-driving

Industry:

- Manufacturing
- Construction

Scope of supply:

2 x 2.0 Ah Li-ion batteries,
1 Charger, Carry case,
23-piece drilling and
screwdriving bit
set with holder



*MRP: ₹18,900



IMPACT DRILL DRIVER

Technical data	GSB 185-Li Kit
HSN code	84672100
Part no.	06019K31F2
Battery voltage	18V
No-load speed (1 st /2 nd)	0-500 / 0-1,900 rpm
Weight (w/2.0Ah)	1.3kg
Max. screw diameter	10 mm
Max. drilling (wood/metal/masonry)	35 / 10 / 10 mm
Chuck material	Metal

*MRP is subject to change. Please check the box for exact MRP.



New! GSB 18V-150 C (Solo) (Brushless) Professional

When strength counts – the clever impact drill driver for unrivalled power and control

Benefits

- Extremely fast work progress through a powerful brushless motor with a maximum torque of 150 Nm and ProCORE18V batteries
- Precise Leveling Function and switchable KickBack Control enable unrivalled control at each work stage
- Reliable and robust thanks to metal drill chuck and metal gearbox

Applications:

- Drilling in Wood
- Drilling in Masonry
- Drilling in Metal
- Screw-driving

Industry:

- Manufacturing
- Construction

Scope of supply:

*Battery and charger not included
Carry case



*MRP: ₹29,500



BeConnected

BITURBO
BRUSHLESS



DRILL DRIVER

Technical data	GSB 18V-150 C (Solo)
HSN code	84672100
Part no.	06019J51L0
Battery voltage	18 V
Torque (soft/hard/max.)	84/100/150 Nm
No-load speed (1st / 2nd gear)	0 - 550 / 0 - 2,200 rpm
Max. impact rate	30,000 bpm
Chuck capacity, min./max.	1.5 / 13 mm
Weight excl. battery	2.2 kg
Max drilling (Wood/Metal/Masonry)	150 / 16 / 20 mm

*MRP is subject to change. Please check the box for exact MRP.



GDR 120-Li Kit Professional

The new 12 V impact driver/wrench with the right power for a variety of applications

Benefits

- Bosch quality at an affordable price
- Always the right power for a variety of applications with 2-level power control
- Easy handling and ergonomic design
- Compact design with insert battery

Applications:

- Screw Driving
- Nut Tightening
- Self Tapping Screw

Industry:

- Roofing Contractors
- Installers
- Garages

Scope of supply:

2 x 2.0 Ah Li-ion batteries, 1 Charger,
1 Carry case



*MRP: ₹16,550



BeConnected



IMPACT WRENCH

Technical data	GDR 120-Li Kit
HSN code	84672100
Part no.	06019F00F0
Battery voltage	12 V
No-load speed (1 st /2 nd)	0 - 1,300 / 0 - 2,600 rpm
Torque (hard)	100 Nm
Max. screw diameter	8 mm
Rated impact rate	0 - 1,900 / 0 - 3,200 bpm
Bit holder	1/4" hexagon socket

*MRP is subject to change. Please check the box for exact MRP.



GDR 12 V-EC (Brushless) Professional

More lifetime and higher precision while being as compact as ever

Benefits

- 100% longer lifetime due to brushless EC motor technology and an optimised impact mechanism
- Greater accuracy when screwdriving: 2-stage power control to prevent overtightening of small screws and a max. Torque of 110 Nm
- Longer runtime due to 2.5 Ah battery packs
- LED ring light for illuminating the work area even in dark places
- Considerably longer runtime due to maximum efficiency and Bosch battery technology
- Very compact design for perfect handling, even in the tightest spaces and overhead

Applications:

- Screw Driving
- Nut Tightening
- Self Tapping Screw

Industry:

- Roofing Contractors
- Installers
- Garages

Scope of supply:

2 x 2.0 Ah Li-ion batteries, 1 Charger, 1 Carry case



*MRP: ₹27,375



BeConnected



IMPACT WRENCH

Technical data	GDR 12 V-EC
HSN code	84672100
Part no.	06019E00F6
Battery voltage	12 V
No-load speed	2,600 rpm
Torque (hard)	110 Nm
Max. screw diameter	M 4 - M 12
Rated impact rate	0 - 3,100 bpm
Bit holder	1/4" internal hexagon

*MRP is subject to change. Please check the box for exact MRP.



New! GDR 180-Li Professional

Powerful and robust Impact Driver gets the job done faster

Benefits

- High torque, high impact rate and fast rotation speed for fast screw driving and drilling into metal and wood.
- Durable design with robust gearbox, open frame motor and battery cell protection ensuring a longer lifetime.
- Easy to service: Gear box and carbon brushes can be replaced easily.

Applications:

- Screw Driving
- Nut Tightening
- Self Tapping Screw

Industry:

- Roofing Contractors
- Installers
- Garages

Scope of supply:

2 x 2.0 Ah Li-ion batteries, 1 Charger,
1 Carry case



*MRP: ₹29,125



BeConnected



IMPACT WRENCH

Technical data	GDR 180-Li
HSN code	84672100
Part no.	06019G51F0
Battery voltage	18 V
No-load speed	0 - 2,800 rpm
Impact rate	0 - 3,600 bpm
Max. torque	160 Nm
Tool holder	1/4" Hex Uni
Screw diameter	M6 - M14
Weight excl. battery	1.1 kg

*MRP is subject to change. Please check the box for exact MRP.



GDX 18V-200 C (Brushless) Professional

High power in compact size

Benefits

- Ready for all applications, thanks to 2 in 1 bit holder: ¼" internal hex and ½" square drive
- Powerful use even in hard to reach areas thanks to best head length to torque ratio
- Bluetooth connectivity module for tool feedback, soft start and service information via mobile device

Applications:

- Screw Driving
- Nut Tightening

Industry:

- Construction
- Garages
- Installers

Scope of supply:

Carry case, L-BOXX 136 with
2x battery, GBA 18V 4.0Ah,
1 quick charger



*MRP: ₹39,325



BeConnected



IMPACT WRENCH

Technical data	GDX 18V 200 C
HSN code	84672900
Part no.	06019G42F0
Battery voltage	18 V
Torque max.	200 Nm
No-load speed	0 - 3,400 rpm
Rated impact rate	0 - 4,000 bpm
Bit holder	1/4" internal hexagon and 1/2" external square
Weight excl. battery	1.1 kg

*MRP is subject to change. Please check the box for exact MRP.



GDS 18V-200 Professional

Brushless power packed in a compact design - perfect for work in tight space

Benefits

- 1/2" anvil with friction ring and pinhole
- High fastening torque and extremely short head length for powerful use even in hard-to-reach areas
- Brushless motor to ensure higher power, higher runtimes, and a longer tool lifetime

Applications:

- Screw Driving
- Nut Tightening

Industry:

- Construction
- Garages
- Installers

Scope of supply:

Carry case; 1 Charger;
2 x 4.0 Ah Li-ion batteries



*MRP: ₹34,200



BeConnected



IMPACT WRENCH

Technical data	GDS 18V-200
HSN code	84672900
Part no.	06019J23F0
Battery voltage	18 V
Square drive	1/2 inch
No-load speed	0 - 3,400 rpm
Impact rate	0 - 4,200 bpm
Max. torque	200 Nm
Screw diameter	M 6 – M 16
Weight excl. battery	1.1 kg

*MRP is subject to change. Please check the box for exact MRP.



GDS 250-Li Professional

The affordable impact wrench with innovative ABR software to increase your working efficiency

Benefits

- Three times higher working efficiency than manual tool
- Tighten bolts easily
- Long usage time and low cost of ownership
- ABR (Auto Bolt Release)
- Robust front cap and gearbox design
- Changeable carbon brush
- De-bundled gearbox and slim grip design

Applications:

- Nut Loosening and Tightening

Industry:

- Garages
- Construction
- Large Fabricators

Scope of supply:

2 x 4.0 Ah Li-ion batteries;
1 Charger, Carry case



*MRP: ₹34,425



BeConnected



IMPACT WRENCH

Technical data	GDS 250-Li
HSN code	84672900
Part no.	06019G61F0
Battery voltage	18 V
Max. torque	250 Nm
No-load speed	0 - 2,400 rpm
Impact rate	0 - 3,300 bpm
Tool holder	1/2" Square
Screw size	M10 ~ M18
Weight excl. battery	1.2 kg

*MRP is subject to change. Please check the box for exact MRP.



GDS 18V-400 (Solo) (Brushless) Professional

Bosch's Powerful 400Nm Wrench, where Power & Durability comes together

Benefits

- Max torque of 400Nm to tighten and untighten up to M20 bolts and 30mm nuts
- Improved lifetime for critical internal components
- ABR makes disassembling easier by ensuring tool is automatically stop when nuts are loosen

Applications:

- Nut Tightening and Untightening
- Screw Driving

Industry:

- Auto Repairer
- Automobile Installer
- Constructor
- Scaffolder
- Rack Installer

Scope of supply:

*Battery and charger not included, Carry case



*MRP: ₹18,750



BeConnected



IMPACT WRENCH

Technical data	GDS 18V 400 (Solo)
HSN code	84672900
Part no.	06019K00K1
Battery voltage	18 V
Max. declared torque	400 Nm
Square drive	1/2 inch
No-load speed	0 - 2,500 rpm
Screw Diameter	M10 - M20
Head length	172 mm
Weight (w/o battery)	1.25 kg
Weight (w GBA 18V 5 0Ah)	1.85 kg

*MRP is subject to change. Please check the box for exact MRP.



GDS 18V-400 (Brushless) Professional

Bosch's Powerful 400Nm Wrench, where Power & Durability comes together

Benefits

- Max torque of 400Nm to tighten and untighten up to M20 bolts and 30mm nuts
- Improved lifetime for critical internal components
- ABR makes disassembling easier by ensuring tool is automatically stop when nuts are loosen

Applications:

- Nut Tightening and Untightening
- Screw Driving

Industry:

- Auto Repairer
- Automobile Installer
- Constructor
- Scaffolder
- Rack Installer

Scope of supply:

Carry case; 1 Charger;
2 x 5.0 Ah Li-ion batteries



*MRP: ₹47,150



BeConnected



IMPACT WRENCH

Technical data	GDS 18V 400
HSN code	84672900
Part no.	06019K00F0
Battery voltage	18 V
Max. declared torque	400 Nm
Square drive	1/2 inch
No-load speed	0 - 2,500 rpm
Screw Diameter	M10 - M20
Head length	172 mm
Weight (w/o battery)	1.25 kg
Weight (w GBA 18V 5 0Ah)	1.85 kg

*MRP is subject to change. Please check the box for exact MRP.



GDS 18V-1050 H (Brushless) Professional

Full Power, No Cord: High Torque Impact Wrench with BITURBO Brushless Power

Benefits

- New high performance brushless motor maximizes the full potential of the ProCORE 18V batteries
- Extreme power you can feel for tough tightening/breakaway applications
- Three speed settings provides excellent control over speed/torque for high versatility

Applications:

- Nut Tightening and Untightening
- Screw Driving

Industry:

- Railway Maintenance
- Metal Commercial Construction
- Metal Industrial Assembling
- Truck Maintenance

Scope of supply:

Carry case; 1 Charger;
2 x 5.0 Ah Li-ion batteries;
L-BOXX 136



*MRP: ₹63,650



BeConnected



BITURBO
BRUSHLESS

IMPACT WRENCH

Technical data	GDS 18V-1050 H
HSN code	85044030
Part no.	06019J85F0
Battery voltage	18 V
Max. tightening torque	1,050 Nm
Max. breakaway torque	1,700 Nm
Square drive	3/4 inch
No-load speed	0-800/1,200/1,750 rpm
Impact rate	0-1,600/2,400/2,600 bpm
Torque	0.350 / 750 / 1050
Bolt diameter	M10 - M24
Weight (w/o battery)	2.9 kg

*MRP is subject to change. Please check the box for exact MRP.



GBH 180-Li (Brushless) Professional

Cordless hammer as powerful as corded “now made affordable”

Benefits

- Bosch quality at an affordable price
- High performance as fast as corded. Same impact energy, same drilling capacity and same speed as GBH 2-20

Applications:

- Concrete Drilling
- Light Chipping

Industry:

- Construction
- Plumber
- Electrician
- Dish TV Installer

Scope of supply:

2 X 4.0 Ah 18V Batteries,
1 Charger, Carry case.



*MRP: ₹42,050



BeConnected



ROTARY HAMMER 1-2 KG

Technical data	GBH 180-Li
HSN code	84672900
Part no.	06119111F0
Battery voltage	18 V
Impact force	2.0 J
Drilling capacity	20 mm
No-load speed	0 - 1,800 rpm
Max. drilling diameter in concrete	4 - 20 mm
Impact rate	0 - 4,675 bpm
Brushless motor	Yes
LED light	Yes
Max. drilling diameter in wood	30 mm
Max. drilling in metal	13 mm
Weight (bare tool)	2.4 kg

*MRP is subject to change. Please check the box for exact MRP.



New Launch! GBH 185-Li (Brushless) Professional

Power packed, fully in your control!

Benefits

- More holes drilled per battery charge and stable power output, due to its powerful 18V brushless motor with constant speed
- Enhanced safety against accidental jams and reduced vibration exposure due to KickBack Control and Vibration Control
- Dust In Control Dust-free work condition by working along with GDE 12 extractor

Applications:

- Concrete Drilling
- Light Chipping

Industry:

- Construction
- Plumber
- Electrician
- Dish TV Installer

Scope of supply:

2 X 4.0 Ah 18V Batteries,
1 Charger, Carry case.

*MRP: ₹42,050



BeConnected



ROTARY HAMMER 1-2 KG

Technical data	GBH 185-Li
HSN code	84672100
Part no.	06119240F0
Battery voltage	18 V
Impact energy	1.9 J
No-load speed	0 - 1,050 rpm
Impact rate	0 - 4,675
Max. drilling diameter in concrete	4 - 22 mm
Max. drilling diameter in steel	13 mm
Max. drilling diameter in wood	20 mm
Bare tool weight with aux. handle	2.3 kg
Recommended battery	GBA 18V 4.0 Ah



GBH 18V-34 CF (Solo) (Brushless) Professional

The market's most powerful cordless
SDS plus Hammer

Benefits

- Paramount performance with 5.8 J – the most powerful cordless SDS plus Hammer in its range for tough jobs in concrete
- Perfect control – soft start for precise chiselling and 3 different working modes to ensure the right setting for any job
- Smartest SDS plus hammer – real-time tool status via user interface, individual adjustments by Bluetooth via Bosch Toolbox App

Applications:

- Concrete Drilling
- Light Chipping

Industry:

- Construction
- Plumber
- Electrician
- Dish TV Installer

Scope of supply:

*Battery & charger not included
Carry case.



*MRP: ₹80,325

BITURBO
BRUSHLESS



BeConnected



ROTARY HAMMER 4 KG

Technical data	GBH 18V-34 CF (Solo)
HSN code	84672900
Part no.	0611914082
Battery voltage	18 V
Max. impact energy	5.8 J
Rated speed	0 - 500 rpm
Impact rate at rated speed	0 - 2,900 bpm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	40 mm
Max. drilling diameter in concrete	34 mm
Weight excl. battery	4.9 kg



New Launch! GRO 12V-35 (Solo) (Brushless) Professional

Powerful and versatile for professional applications

Benefits

- Powerful motor with high speed (up to 35,000 rpm) for fast work progress
- Wide range of professional applications such as cutting, sanding, routing, polishing and drilling especially in hard-to-reach areas
- Comfortable to use due to compact size, ergonomic design and integrated LED lighting

Applications:

- Multipurpose fine and small job works

Industry:

- Carpenters
- Craftsmen
- Interior decorater etc

Scope of supply:

5x cutting disc, 32 mm, Arbour, Housing adapter Key, Collet, 1/2 L-BOXX inlay for tool
Cardboard box.

*Battery and charger not included

*MRP: ₹8,300



BeConnected



Warranty



ROTARY TOOL

Technical data	GRO 12V-35 (Solo)
HSN code	84672100
Part no.	06019C50K1
Battery voltage	12V
No-load speed	5,000 / 35,000 rpm
Weight	600 g
Dimensions L x W x H	44 x 36 x 11.5 cm

*MRP is subject to change. Please check the box for exact MRP.



GWS 18V-10 (100mm) Kit (Brushless) Professional

Heavy duty cordless small angle grinder

Benefits

- The next level of power & runtime - new brushless motor and ProCORE18V batteries.
- Premium user protection - Drop Control, Fast Brake and KickBack Control
- Premium tool control - keyless protective cover, keyless clamping nut (M14 only), slimmer grip design. New friendly switch button design.

Applications:

- Metal Grinding (burrs and welds)
- Metal Cutting (bars, pipes, angles)

Industry:

- Construction
- Fabrication
- Sheet Metal Working

Scope of supply:

2 x 5.0 Ah Li-ion Batteries;
1 Charger; Handle; Keyless protection guard;
Clamping unit; Carry case.

*MRP: ₹45,450



BeConnected



SMALL ANGLE GRINDER

Technical data	GWS 18V-10 (100mm) Kit
HSN code	84672900
Part no.	06019J40F0
Battery voltage	18 V
Disc diameter	100 mm
Grinding spindle thread	M10
No-load speed	9,000 rpm
Weight w/o battery	2.0 kgs.

*MRP is subject to change. Please check the box for exact MRP.



GWS 180-Li (100mm) Kit (Brushless) Professional

User Upgrade from Corded to Cordless with affordable solutions!

Benefits

- High-performance Brushless motor delivers 700W Corded equivalent power
- Balanced design and slim handle, specifically optimised for versatile cutting
- Increased productivity thanks to improved efficiency and runtime
- Next-level convenience thanks to slim handle design and keyless guard

Applications:

- Metal Grinding (burrs and welds)
- Metal Cutting (bars, pipes, angles)

Industry:

- Construction
- Fabrication
- Sheet Metal working

Scope of supply:

Standard auxiliary handle; Keyless protection guard; Clamping nut; Back flange; Tom hole spanner; 2 x 4.0 Ah Li-ion Batteries; GAL 18V-40 charger x 1 Carry case.



*MRP: ₹37,625



BeConnected



Warranty



SMALL ANGLE GRINDER

Technical data	GWS 180-Li (100mm) Kit
HSN code	84672900
Part no.	06019H90F0
Battery voltage	18 V
No-load speed (1 st /2 nd)	11,000 rpm
Spindle size	M10
Disc diameter	100 mm
Grip size front / back	185 / 156
Weight w/o battery	1.4 kg
Weight w/ 4.0 battery	2.0 kg

*MRP is subject to change. Please check the box for exact MRP.



GWS 180-Li (Solo) (Brushless) Professional

User Upgrade from Corded to Cordless with affordable solutions!

Benefits

- High-performance Brushless motor delivers 700W Corded equivalent power
- Balanced design and slim handle, specifically optimised for versatile cutting
- Increased productivity thanks to improved efficiency and runtime
- Next-level convenience thanks to slim handle design and keyless guard

Applications:

- Metal Grinding (burrs and welds)
- Metal Cutting (bars, pipes, angles)

Industry:

- Construction
- Fabrication
- Sheet Metal working

Scope of supply:

*Battery and charger not included,
Cardboard Box

*MRP: ₹15,950



BeConnected



Warranty



SMALL ANGLE GRINDER

Technical data	GWS 180-Li (Solo) (100mm)
HSN code	84672900
Part no.	06019H90K0
Battery voltage	18 V
No-load speed (1 st /2 nd)	11,000 rpm
Spindle size	M10
Disc diameter	100 mm
Grip size front / back	185 / 156
Weight w/o battery	1.4 kg
Weight w/ 4.0 battery	2.0 kg

*MRP is subject to change. Please check the box for exact MRP.



GWX 180-Li (Solo) (125 mm) (Brushless) Professional

Fast accessory change & convenient working:
Bosch's compact and handy 18V angle
grinder with X-LOCK

Benefits

- High-performance Brushless motor delivers 700W Corded equivalent power
- Balanced design and slim handle, specifically optimised for versatile cutting
- Increased productivity thanks to improved efficiency and runtime
- Next-level convenience thanks to slim handle design, keyless guard and X-LOCK system

Applications:

- Metal Grinding (burrs and welds)
- Metal Cutting (bars, pipes, angles)

Industry:

- Construction
- Fabrication
- Sheet Metal working

Scope of supply:

*Battery and charger not included,
Cardboard Box

*MRP: ₹17,850



BeConnected



XLOCK



SMALL ANGLE GRINDER

Technical data	GWX 180-Li (Solo) (125 mm)
HSN code	84672900
Part no.	06019H91K0
Battery voltage	18 V
No-load speed	11,000 rpm
Grinding/cutting disc, diameter	125 mm
Grinding spindle thread	M14
Weight excluding battery	2.0 kg

*MRP is subject to change. Please check the box for exact MRP.



GWS 18V-10 (125 mm) (Solo) (Brushless) Professional

Heavy duty cordless small angle grinder.

Benefits

- The next level of power & runtime - new brushless motor and ProCORE18V batteries.
- Premium user protection - Drop Control, Fast Brake and KickBack Control
- Premium tool control - keyless protective cover, keyless clamping nut (M14 only), slimmer grip design. New friendly switch button design.

Applications:

- Metal Grinding (burrs and welds)
- Metal Cutting (bars, pipes, angles)

Industry:

- Construction
- Fabrication
- Sheet Metal Working

Scope of supply:

*Battery and charger not included,
Cardboard Box

*MRP: ₹20,800



BeConnected



SMALL ANGLE GRINDER

Technical data	GWS 180V-10 (125 mm) (Solo)
HSN code	84672900
Part no.	06019J4002
Battery voltage	18 V
No-load speed	9,000 rpm
Grinding/cutting disc, diameter	125 mm
Grinding spindle thread	M14
Weight excl. battery	2.1 kg

*MRP is subject to change. Please check the box for exact MRP.



GBL 18V-120 (Solo) Professional Blower for quick cleanup in the 18 V category

Benefits

- Very powerful with an air speed of 270 km/h, making it very powerful for good results when cleaning an area
- Compact and balanced design makes handling blower easy for added control
- For tidying up jobsites and cleaning drill holes
- Very versatile with four accessories

Applications:

- Cleaning
- Blowing
- Leaf Blowing
- Anchoring and Rebaring (Cleaning)

Industry:

- Manufacturing
- Construction
- Wood Working
- Electronics Repair

Scope of supply:

4 x Accessories (Nozzle, Extension tube, Deep hole nozzle, Dust collection tube)

*Battery and charger not included
Cardboard Box



*MRP: ₹9,450



BeConnected



BLOWER

Technical data	GBL 18V-120 (Solo)
HSN code	84672900
Part no.	06019F51L0
Battery voltage	18 V
Max. air speed	75 m/s
Max. airflow	120 m ³ /h
No-load speed	17,000 rpm
Weight excl. battery	1.1 kg

*MRP is subject to change. Please check the box for exact MRP.



New! Pro Pruner Professional

Less effort, more efficiency: enjoy electric pruning with the Bosch Pro Pruner

Benefits

- Faster results – electric pruning at a new level of efficiency
- Ideal choice for pruning fruit trees
- Smooth pruning with notably less effort compared to manual secateurs
- Powerful Li-ion battery system lasts up to 4,500 cuts per charge (tested by the Bosch Power Tools Asia Pacific R&D Laboratory)
- Anti-rusting corrosion and highly durable blades enable a long service lifetime

Applications:

- Pruning of Branches

Industry:

- Fruit Farming

Scope of supply:

1 x 12V 2 Ah Li-ion battery;
1 Charger, Carry case

***MRP: ₹22,875**



CUTTING

Technical data	Pro Pruner
HSN code	84672900
Part no.	06019K10F1
Rated voltage	12 V
Battery capacity*	3 Ah
Max. cutting diameter	25 mm
No. of cuts per charge**	4500
Weight with 12V/2.0Ah battery	1 kg
Weight w./o battery	0.8 Kg

*MRP is subject to change. Please check the box for exact MRP.



New! GKS 185 Li (Solo) (Brushless) Professional

Cut through easily without wires

Benefits

- Impressive performance Powerful 18V Brushless motor
- Optimized cutting performance Clean and precise cuts with optimized saw blade
- Easy to operate Ergonomic design with compact size and light weight

Applications:

- Wood Cutting

Industry:

- Construction
- Wood Manufacturing

Scope of supply:

1x Circular saw blade
165x 1.5/1.0x 20 mm, 1x parallel guide,
CSB blade, Cardboard box

*MRP: ₹18,950



CUTTING

Technical data	GKS 185 Li (Solo)
HSN code	84672900
Part no.	06016C12L1
Voltage	18 V
Blade size / bore size	165 / 20 mm
No-load speed	5,000 rpm
Cutting depth, 90°/ 45°	57 / 41 mm
Weight w/o battery	2.8 kg
Bevel capacity max.	50°

*MRP is subject to change. Please check the box for exact MRP.



GKS 18V-57 (Solo) Professional

The battery-powered all-rounder for all robust sawing jobs

Benefits

- Performance – a fast sawing rate and long runtime thanks to powerful motor
- Robust design – for every application on the jobsite, even on a roof or scaffold
- Everyone can choose sides – a hand-held circular saw that can also have the saw blade on the right-hand side

Applications:

- Wood Cutting

Industry:

- Construction
- Wood Manufacturing

Scope of supply:

1x circular saw blade,
Optiline wood, *Battery charger not included

Till Stocks Last!

***MRP: ₹23,400**



CIRCULAR SAWS

Technical data	GKS 18V-57 (Solo)
HSN code	84672900
Part no.	06016A22L0
Battery voltage	18 V
No-load speed	3,400 rpm
Saw blade diameter	165 mm
Saw blade bore diameter	20 mm
Max. cutting capacity in wood (90°)	57 mm
Max. cutting capacity in wood (45°)	39 mm

*MRP is subject to change. Please check the box for exact MRP.



New! GRG 18V-16 C (Solo) (Brushless) Professional

Versatile riveting without constraints

Benefits

- Cordless convenience ensures greater on-site mobility and lower set-up cost
- As powerful and versatile as a pneumatic tool for 3 to 6.4 mm diameter rivets
- Long battery runtime for pulling 1,000 rivets on a single charge
- AUTO and MANUAL rivet function for personal preference during application
- Connectivity enables preventative maintenance and less downtime

Applications:

- Sheet metal fixing

Industry:

- Manufacturing involving sheet metals

Scope of supply:

4 pcs Nose piece
12mm Wrench, Belt clip,
HMI Connectivity, 1 set of jaws, cardboard box



*MRP: ₹75,075



RIVET GUN

Technical data	GRG 18V-16 C (Solo)
HSN code	84672200
Part no.	06019K5080
Battery voltage	18 V
Motor	Brushless
Pulling force	16,000 N
Stroke length	25 mm
Rivet diameter	3.0 - 6.4 mm
Weight excl. battery	1.6 kg

*MRP is subject to change. Please check the box for exact MRP.



GSA 18V-Li Compact (Solo) Professional

Compact powerhouse with low vibration

Benefits

- Compact design for versatile – also one-handed – and overhead use
- Lowest vibration levels ensure comfortable use
- A fast sawing rate and long runtime thanks to powerful motor and high-endurance batteries

Applications:

- Cutting Wood
- Metal
- Plastic
- FRP

Industry:

- Construction
- Maintenance

Scope of supply:

*Battery and charger not included
 Cardboard box; Inlay for L-BOXX 136;
 1 x reciprocating saw blade S 922 AF,
 1 x reciprocating saw blade S 922 EF,
 1 x reciprocating saw blade S 922 HF

*MRP: ₹27,150



ALL PURPOSE / RECIPSAW

Technical data	GRG 18V-16 C (Solo)
HSN code	84672200
Part no.	06016A5080
Battery voltage	18 V
Cutting depth in wood	200 mm
Stroke lengths	21 mm
Cutting depth in metal profiles and metal pipes	100 mm
Stroke rate (1 st gear / 2 nd gear)	0 - 3,050 spm

*MRP is subject to change. Please check the box for exact MRP.



GSA 18V-32 (Solo) Professional

Comfortable Handling in the 18 V Class

Benefits

- Unique ergonomic handle shape and extra long switch enables better handling for difficult overhead work or in tight spaces
- EC motor, when paired with an 18V Bosch Lithium-Ion Technology battery, delivers corded power with cordless freedom
- Unique SDS system enables easy and safer saw blade changes even with gloves

Applications:

- Cutting Wood
- Metal
- Plastic
- FRP

Industry:

- Construction
- Maintenance

Scope of supply:

*Battery and Charger not included
 Cardboard box;
 1 x reciprocating saw blade S 1110 VF

***MRP: ₹62,475**



ALL PURPOSE / RECIPSAW

Technical data	GSA 18V-32 (Solo)
HSN code	84672900
Part no.	06016A8108
Cutting depth in wood	230 mm
Stroke lengths	32 mm
Cutting depth in metal profiles and metal pipes	175 mm
Stroke rate (1 st gear/2 nd gear)	0 - 2,500 spm
Weight excl. battery	3.5 kg

*MRP is subject to change. Please check the box for exact MRP.



Launching Soon! GSA 185-LI (Brushless) Professional

Speedy demolition work with less fatigue.

Benefits

- Outstanding Cordless Cutting Performance fully equal to 1,100 W thanks to Bosch brushless technology
- Simple One-hand Insertion & Ejection of saw blade thanks to toolless snap-in function
- Less Fatigue while working in any position due to superior power-to-weight ratio

Applications:

- Cutting Wood
- Metal
- Plastic
- FRP

Industry:

- Construction
- Maintenance



ALL PURPOSE / RECIPSAW

Technical data	GSA 185-LI
HSN code	84672200
Part no.	06016C00L0
Voltage	18 V
No-load stroke rate	0 - 2,900 min-1
Stroke length	28 mm
Dimensions (L x W x H)	450 x 96 x 170
Weight w/o battery	3.2 kg
Cutting depth (wood)	230 mm

*MRP is subject to change. Please check the box for exact MRP.



GEX 185-Li (Solo) (Brushless) Professional

Designed for superior and well-balanced sanding

Benefits

- Ideally positioned 18V battery for well-balanced sanding and no more arm fatigue
- Efficient brushless motor with consistent removal rate and a max run time 40 minutes with GBA 4Ah battery
- Ergonomic design with low vibration up to 2.2 m/s² for comfortable sanding
- Ideal for sanding wood, wood materials, or plaster and removing paint

Applications:

- Wood and metal sanding and surface finishing

Industry:

- Carpenters
- Body Building
- Automotive Body shop

Scope of supply:

1x Dust Bag,

*Battery charger not included

***MRP: ₹10,050**



RANDOM ORBIT SANDER

Technical data	GEX 185-Li (Solo)
HSN code	84672900
Part no.	06013A5080
Battery voltage	18 V
No-load speed	6,000 - 10,000
Sanding sheet diameter	125 mm
Height	135 mm
Sanding stroke	2.5 mm
Vibration	2.2 m/s ²

*MRP is subject to change. Please check the box for exact MRP.



GTB 185-Li (Solo) (Brushless) Professional

All Day Comfort for Your Hand

Benefits

- Ergonomically built for less exertion and more comfortable grip
- Weight of 0.95kg, thanks to Bosch in-line drive design
- High runtime with 3X more screws per charge, thanks to PowerSAVE technology
- No longer needed to remove depth gauge during reversing, thanks to the new reversible depth stop
- Efficient and powerful with 4,500 rpm for faster drywall screwing

Applications:

- Screwdriving

Industry:

- Drywall fixings
- Carpenters

Scope of supply:

Cardboard box
1x screwdriver bit PH 2, 1x belt clip, 1x bit holder,
*Battery charger not included

***MRP: ₹13,700**



SCREWDRIVER

Technical data	GTB 185-Li (Solo)
HSN code	84672900
Part no.	06019K70L1
Battery voltage	18 V
No-load speed	0 - 4,500
Soft torque	5.2 Nm
Weight (w/o batt w/2.0Ah batt)	0.95 1.3 kg
Dimension (L / W / H)	261 / 56 / 222

*MRP is subject to change. Please check the box for exact MRP.



GST 185-Li (Solo) (Brushless) Professional

Cordless Freedom Without Limits

Benefits

- Great choice for curved and cross cuts in various materials
- Powerful brushless motor for outstanding performance
- 4-stage orbital action for choosing between fast cutting or clean cutting
- Features Speed Selection for different material applications
- The tool-free Bosch SDS-system makes changing saw blades easy

Applications:

- Straight and Curve cutting of wood and sheet metal

Industry:

- Interior decorators
- Carpenters
- Sheet metal fabricators

Scope of supply:

1x jigsaw blade T 144 D, Speed for Wood

*Battery charger not included

***MRP: ₹14,975**



JIGSAW

Technical data	GTB 185-Li (Solo)
HSN code	84672900
Part no.	06015B30L3
Battery voltage	18 V
Stroke length	26 mm
Cutting depth	125 mm
Bladeholder	SDS
LED	Yes
Weight (w/4.0 Ah battery)	2.6 kg
Chuck Size	13 mm

*MRP is subject to change. Please check the box for exact MRP.



GAS 18V-1 (Solo) Professional

Cleaning performance redefined! With new rotational airflow technology.

Benefits

- 3 strong rotational airflows for high cleaning efficiency with minimal loss of suction power throughout usage!
- Powerful motor delivering a vacuum pressure of 6 kPa and long runtime of 7 minutes per Ah
- Quick release dust-emptying function and washable dust cap provide an easy-to-clean tool

Applications:

- Wood cutting
- Hollow metal section cutting like pipes

Industry:

- Industrial maintenance
- Construction

Scope of supply:

1x Floor nozzle, 1x lexible extension tube, 1x Crevice nozzle and 2x Suction tubes,
*Battery charger not included

***MRP: ₹9,525**



VACUUM CLEANER

Technical data	GAS 18V-1 (Solo)
HSN code	84672900
Part no.	06019C62L0
Battery voltage	18 V
Weight excl. battery	1.3 kg
Container volume	0.7 l
Filter surface area	55 cm ²
Max. airflow rate (turbine)	10 l/s
Max. vacuum pressure (turbine)	60 mbar

*MRP is subject to change. Please check the box for exact MRP.

BATTERY / CHARGERS





GBA 12V 2.0 Ah O-B Professional

The compact 12 V batteries with 2.0 Ah

Benefits

- Min. 50% more runtime compared to existing 1.3 Ah battery by using high quality Li-Ion cells
- This battery is the smallest 2.0 Ah power tool battery in the market with a weight of just 175g
- Flexible Power System: 100% compatible to all Bosch Blue Li-Ion tools and chargers within same voltage class

Suitable for:

- 10.8 V
 - 12.0 V
- Bosch cordless tools range
(Tubular battery version)



*MRP: ₹3,775



BATTERY

Technical data	GBA 12V 2.0 Ah
HSN code	85076000
Part no.	1600A00F6X
Battery voltage	12V
Battery capacity	2.0 Ah°
Weight	175g

*MRP is subject to change. Please check the box for exact MRP.



GBA 18V 2.0 Ah Professional

The lightweight 18 volt compact battery with 2.0 Ah and COOLPACK technology

Benefits

- COOLPACK technology for up to 100% longer lifetime compared to battery without COOLPACK
- Lightweight for even more comfortable work, especially in overhead applications
- Flexible Power System: 100% compatible with all Bosch Blue Li-Ion tools and chargers within same voltage class
- Extremely robust: fully functional even after a 3-m drop onto concrete

Suitable for:
All 18 V
Bosch cordless tools range



*MRP: ₹6,075



BATTERY

Technical data	GBA 18V 2.0 Ah
HSN code	85076000
Part no.	1600A001CG
Battery voltage	18V
Battery capacity	2.0 Ah
Weight	300 g

*MRP is subject to change. Please check the box for exact MRP.



GBA 18V 4.0 Ah M-C Professional

Smallest battery pack of its class in the market

Benefits

- The high-endurance 18 Volt XL battery with 4.0 Ah and COOLPACK technology
- Up to 65% more run time compared to existing 3.0 Ah battery using high quality Li-Ion cells
- Bosch COOLPACK manages the temperature of the battery cells actively and reduces heat-up which is the main killer for every battery cell
- 18 V 4.0 Ah batteries have the same weight as existing Bosch 3.0 Ah batteries and are the lightest in the market
- LED Indicator for battery stage of charge
- Flexible Power System: 100% compatible to all Bosch Blue Li-Ion tools and chargers within same voltage class
- Wireless charging technology for continuous and uninterrupted work

Suitable for:
All 18 V
Bosch cordless tools range

*MRP: ₹9,175



BATTERY

Technical data	GBA 18V 4.0 Ah
HSN code	85076000
Part no.	1600A00163
Battery voltage	18V
Battery capacity	4.0 Ah
Weight	600 g

*MRP is subject to change. Please check the box for exact MRP.



New! ProCORE 18V 4.0 Ah Professional
 Performance of a conventional battery in the most compact size and weight

Benefits

- Latest cell technology offering same power as an standard 4.0 Ah battery – at significantly smaller size and better weight
- Professional 18V System: 100% compatible with all new and existing Bosch Professional 18 V power tools and chargers
- 135% longer lifetime compared to a standard battery due to COOLPACK 2.0 technology preventing the battery from overheating

Suitable for:
 All 18 V
 Bosch cordless tools range

***MRP: ₹11,475**



BATTERY

Technical data	ProCORE 18V 4.0 Ah
HSN code	85076000
Part no.	1600A0193L
Battery voltage	18V
Battery capacity	4.0 Ah
Weight	515 g

*MRP is subject to change. Please check the box for exact MRP.



New! ProCORE 18V 8.0 Ah Professional
High performance battery for up to 1,800 Watt
corded power

Benefits

- 87% more power compared to a conventional battery - thanks to latest cell technology and Bosch's intelligent battery management.
- Professional 18V System: 100% compatible with all new and existing Bosch Professional 18 V power tools and chargers
- 135% longer lifetime compared to a standard battery due to COOLPACK 2.0 technology preventing the battery from overheating

Suitable for:
All 18 V
Bosch cordless tools range



***MRP: ₹21,300**

BATTERY

Technical data	ProCORE 18V 8.0 Ah
HSN code	85076000
Part no.	1600A0193N
Battery voltage	18 V
Battery capacity	8.0 Ah
Weight	955 g

*MRP is subject to change. Please check the box for exact MRP.



GAL 12V-20 Professional

The 12 V fast charger

Benefits

- Rapid charging speed for all 12 V batteries, enables loading 12 V 2.0 Ah batteries from 0 to 80% in 24 minutes
- Modern and compact design
- Compatible with all Bosch Professional 12 V batteries (Flexible Power System)

Suitable for:
10.8 V, 12.0 V
Bosch tubular batteries



*MRP: ₹3,275



CHARGER

Technical data	GAL 12V-20
HSN code	85044030
Part no.	1600A021L7
Charge current	4 A
Charging time min	24 min
Input voltage(s)	230 V
Model	Li-Ion quick charger
Weight, approx.	0.4 kg

*MRP is subject to change. Please check the box for exact MRP.



GAL 12V-40 Professional

The 12 V fast charger

Benefits

- Rapid charging speed for all 12 V batteries, enables loading 12 V 2.0 Ah batteries from 0 to 80% in 24 minutes
- Modern and compact design
- Compatible with all Bosch Professional 12 V batteries (Flexible Power System)

Suitable for:
10.8 V, 12.0 V
Bosch tubular batteries

*MRP: ₹3,450



CHARGER

Technical data	GAL 12V-40
HSN code	85044030
Part no.	1600A022V0
Charge current	4 A
Charging time min	24 min
Input voltage(s)	230 V
Model	Li-Ion quick charger
Weight, approx.	0.4 kg

*MRP is subject to change. Please check the box for exact MRP.



GAL 18V-40 Professional

The compact 18 V charger

Benefits

- Compact: Due to its modern design it is very compact
- Optimised charging speed: Optimised charging speed for compact 18 V batteries as it charges an 18 V 2.0 Ah battery in 24 minutes to 80% and for 18 V 4.0 Ah battery in 48 minutes to 80%
- Professional 18V System: 100% compatible with all Bosch Professional 18 V batteries

Suitable for:

14.4V

18.0V

*MRP: ₹4,425



CHARGER

Technical data	GAL 18V-40
HSN code	85044030
Part no.	1600A022V1
Battery charging voltage	14.4-18V
Charge current	4A
Charging time min.	36 min
Model	Li-Ion quick charger
Weight, approx	550g

*MRP is subject to change. Please check the box for exact MRP.



GAL 12V-40 + 2x GBA 12V 2.0Ah Professional

2 x 12 V battery with 2.0 Ah capacity and fast charger

Benefits

- GBA 12V 2.0Ah: Compact battery designed for the Bosch 12 V tool range
- GAL 12V-40: Rapid charging speed for all 12 V batteries. Charging 12V 2.0Ah batteries from 0 to 80% in 24 minutes
- Compatible with all Bosch Professional 12 V tools (Professional 12V System)

Suitable for:
12.0 V
Bosch tubular batteries

*MRP: ₹9,625



CHARGER

Technical data	GAL 12V-40 + 2x GBA 12V 2.0Ah
HSN code	85044030
Part no.	1600A022V3
Battery 1 capacity	2 Ah
Battery voltage	12 V
Battery 1 weight	0.185 kg
Cell type	Li-Ion
Battery charging voltage	12 V
Charge current	4 A
Charge time at bat. cap. 2.0 Ah (80%/100%) approx.	24/35 min
Charger weight	0.45 kg

*MRP is subject to change. Please check the box for exact MRP.



GAL 18V-40 + 2x GBA 18V 2.0Ah Professional

2 x 18 V battery with 4.0 Ah capacity for extended runtime and fast charger

Benefits

- 18 V 4.0 Ah battery with extended runtime for all 18 V class tools
- Extremely fast charging speed for all 18 V batteries, charging a standard 18 V 4.0 Ah battery to 80% in only 48 minutes
- Compatible with all Bosch Professional 18 V tools and chargers (Professional 18V System)

Suitable for:

14.4 V

18.0 V

*MRP: ₹16,125



CHARGER

Technical data	GAL 18V-40 + 2x GBA 18V 2.0Ah
HSN code	85044030
Part no.	1600A022V4
Battery 1 capacity	2 Ah
Battery voltage	18 V
Battery 1 weight	0.35 kg
Cell type	Li-Ion
Battery charging voltage	14.4 – 18 V
Charge current	4 A
Charge time at bat. cap. 2.0 Ah (80%/100%) approx.	24/35 min
Charger weight	0.55 kg

*MRP is subject to change. Please check the box for exact MRP.



GAL 18V-40 + 2x GBA 18V 2.0Ah Professional

2 x 18 V battery with 4.0 Ah capacity for extended runtime and fast charger

Benefits

- 18 V 4.0 Ah battery with extended runtime for all 18 V class tools
- Extremely fast charging speed for all 18 V batteries, charging a standard 18 V 4.0 Ah battery to 80% in only 48 minutes
- Compatible with all Bosch Professional 18 V tools and chargers (Professional 18V System)

Suitable for:
18.0 V

*MRP: ₹22,250



CHARGER

Technical data	GAL 18V-40 + 2x GBA 18V 4.0Ah
HSN code	85044030
Part no.	1600A022V2
Battery 1 capacity	4 Ah
Battery voltage	18 V
Battery 1 weight	0.6 kg
Cell type	Li-Ion
Battery charging voltage	14.4 – 18 V
Charge current	4 A
Charge time at bat. cap. 4.0 Ah (80%/100%) approx.	48/65 min
Charger weight	0.55 kg

*MRP is subject to change. Please check the box for exact MRP.

Pro CORE 18V

MAXIMUM PERFORMANCE AND RUNTIME WITH FLEXIBLE POWER SYSTEM

Available in **THREE CLASSES**

COMPACT



PERFORMANCE



ENDURANCE



FLEXIBLE POWER SYSTEM:

100% COMPATIBLE

WITH ALL BOSCH PROFESSIONAL 18 V TOOLS

87%

More Power

30%

Faster Material Removal

Bosch Limited, Power Tools Division
PA-AT Complex, Hosur Road, Adugodi,
Bangalore - 560030
 www.facebook.com/BoschPTIndia



Customer Contact Center
1800 425 8665

Email: bpt@in.bosch.com
www.bosch-pt.co.in

Edition: Jan 2023